

L Number	Hits	Search Text	DB	Time stamp
-	675282	SATO, TOSHIRO SUWA, YUJI IWAKURA, YOSHIYUKI GOTOU, KAZUNARI SATO, TOSHIAKI KANEI, KAZUYOSHI TOSAKA, MASAKI YAMASHITA, YASUHIRO	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/02 14:40
-	1505	(SATO-TOSHIRO SUWA-YUJI IWAKURA-YOSHIYUKI GOTOU-KAZUNARI SATO-TOSHIAKI KANEI-KAZUYOSHI TOSAKA-MASAKI YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/24 16:06
-	1505	(SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIAKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/24 16:10
-	1505	(SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIAKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/24 16:10
-	1384	((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIAKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/24 16:11
-	1) and @ad<19990420 (((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIAKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/24 16:53
-	53) and @ad<19990420) and (simulation and model and circuit) (((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIAKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/24 17:02
-	4) and @ad<19990420) and noise (((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIAKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 11:38
-	3) and @ad<19990420) and crosstalk (((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIAKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 11:39
) and @ad<19990420) and crosstalk and time		

-	67	((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 11:40
-	67) and @ad<19990420) and time and (maximum or minimum) ((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 11:40
-	2) and @ad<19990420) and (time) and (maximum or minimum) ((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:01
-	1) and @ad<19990420) and (time) and (maximum or minimum) and (crosstalk) ((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:02
-	58) and @ad<19990420) and (time) and (shift or delay) and (crosstalk) ((SATO-TOSHIRO OR SUWA-YUJI OR IWAKURA-YOSHIYUKI OR GOTOU-KAZUNARI OR SATO-TOSHIKI OR KANEI-KAZUYOSHI OR KANEI-ET-AL OR TOSAKA-MASAKI OR YAMASHITA-YASUHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:55
-	24139) and @ad<19990420) and (shift or delay) crosstalk	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:57
-	3990	emc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:55
-	797	timing same (crosstalk or emc)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:57
-	80	victim same aggressor	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:57
-	13	(timing same (crosstalk or emc)) and (victim same aggressor)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 14:56
-	13615	crosstalk	USPAT	2003/03/26 15:04
-	450	timing same (crosstalk)	USPAT	2003/03/26 14:57
-	8	victim and aggressor and (timing same (crosstalk))	USPAT	2003/03/26 15:02
-	0	crosstalk and (muddu.in or kahng.in.)	USPAT	2003/03/26 15:01
-	32	muddu.in or kahng.in.	USPAT	2003/03/26 15:02
-	0	victim and aggressor and (muddu.in or kahng.in.)	USPAT	2003/03/26 15:02
-	451	muddu or kahng	USPAT	2003/03/26 15:03
-	10	crosstalk and (muddu or kahng)	USPAT	2003/03/26 15:04
-	305	jones-H.xa. or jones-H\$.xp.	USPAT	2003/03/26 15:04
-	443	jones-H\$.xa. or jones-H\$.xp.	USPAT	2003/03/26 15:04

-	3	crosstalk and (jones-H\$.xa. or jones-H\$.xp.)	USPAT	2003/03/27 11:11
-	1	5481695.pn.	USPAT	2003/03/26 18:30
-	178	(703/15).ccls. and @ad<19980514	USPAT	2003/03/27 11:12
-	5	((703/15).ccls. and @ad<19980514) and (cross\$talk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 16:59
-	233	(703/14).ccls. and @ad<19980514	USPAT	2003/03/26 18:33
-	7	((703/14).ccls. and @ad<19980514) and (cross\$talk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/26 18:33
-	18589	noise and (route or routing)	USPAT	2003/03/27 11:12
-	740	noise with (route or routing)	USPAT	2003/03/27 11:12
-	520	(noise with (route or routing)) and @ad<19980514	USPAT	2003/03/27 11:54
-	200	((noise with (route or routing)) and @ad<19980514) and ((type or kind or category or classification or class or genre or group or sort or subdivision or variety or way) with noise)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 12:05
-	148	((noise with (route or routing)) and @ad<19980514) and ((type or kind or category or classification or class or genre or group or sort or subdivision or variety or way) with noise)) and circuit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 12:00
-	27	((noise with (route or routing)) and @ad<19980514) and ((type or kind or category or classification or class or genre or group or sort or subdivision or variety or way) with noise)) and circuit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 12:04
-	8	((noise with (route or routing)) and @ad<19980514) and ((graph or waveform or diagram or outline or plot or sketch or table or tabulation) with (type or kind or category or classification or class or genre or group or sort or subdivision or variety or way) with noise)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 14:49
-	691	rout\$3 same crosstalk	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 14:50
-	132	driver and (rout\$3 same crosstalk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 14:50
-	14	rising and falling and (driver and (rout\$3 same crosstalk))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 15:01
-	58	delay same (rout\$3 same crosstalk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 14:52
-	7	rising and falling and (delay same (rout\$3 same crosstalk))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 16:55
-	1752	cross\$talk and simulation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 16:56
-	851	(cross\$talk and simulation) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 17:00
-	307	((cross\$talk and simulation) and @ad<19980514) and graph	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 17:00

-	93	(cross\$talk and simulation) and spice	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 17:00
-	39	((cross\$talk and simulation) and spice) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 17:08
-	0	viewlogic.as. and XTK	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 17:08
-	6	(VIEWLOGIC "VIEWLOGIC-SYSTEMS-INC." "VIEWLOGIC.RTM" "VIEWLOGIC.TM" VIEWLOG).as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 17:10
-	0	((VIEWLOGIC "VIEWLOGIC-SYSTEMS-INC." "VIEWLOGIC.RTM" "VIEWLOGIC.TM" VIEWLOG).as.) and (cross\$talk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 19:44
-	1942	signal adj integrity	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 20:05
-	119	(signal adj integrity) same (simulate or simulation or model or modeling or modelling or analysis)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 19:46
-	32	((signal adj integrity) same (simulate or simulation or model or modeling or modelling or analysis)) and cross\$talk	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 20:12
-	5	(signal adj integrity) and ((accel) or (applied adj simulation) or (hyperlynx) or (mentor adj graphics) or (viewlogic) or (ansoft) or (applied adj simulation adj technology) or (cadence) or (incases) or (quantic) or (sigrity)).as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 20:08
-	387	(signal adj integrity) and cross\$talk	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 20:10
-	558	(signal adj integrity) and (software)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 20:12
-	125	((signal adj integrity) and (software)) and cross\$talk	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 20:13
-	49	((signal adj integrity) and (software)) and cross\$talk	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 20:54
-	2	buffer adj information adj specification	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/03/27 21:33
-	377	rout\$3 and cross\$talk and delay and switch\$3 and ring\$3 and (simulat\$3 or emulat\$3 or model\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/02 15:25
-	127	(rout\$3 and cross\$talk and delay and switch\$3 and ring\$3 and (simulat\$3 or emulat\$3 or model\$4)) not optical	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/02 14:45
-	3	((rout\$3 and cross\$talk and delay and switch\$3 and ring\$3 and (simulat\$3 or emulat\$3 or model\$4)) not optical) and CAD	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/02 16:19
-	1	"5285165".PN.	USPAT	2003/04/02 15:28
-	1	"5481695".PN.	USPAT	2003/04/02 15:28
-	1	"5535133".PN.	USPAT	2003/04/02 15:28
-	1	"5568395".PN.	USPAT	2003/04/02 15:28

-	1	"5692160".PN.	USPAT	2003/04/02 15:28
-	1	"5761080".PN.	USPAT	2003/04/02 15:29
-	1	"5983006".PN.	USPAT	2003/04/02 15:29
-	1	"6128769".PN.	USPAT	2003/04/02 15:29
-	1	"6212490".PN.	USPAT	2003/04/02 15:29
-	1	"6275968".PN.	USPAT	2003/04/02 15:29
-	100	((rout\$3 and cross\$talk and delay and switch\$3 and ring\$3 and (simulat\$3 or emulat\$3 or model\$4)) not optical) and noise	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/02 17:52
-	4298	cross\$talk same (switch\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/02 17:52
-	662	(cross\$talk same (switch\$3)) same noise	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/02 17:52
-	20	((cross\$talk same (switch\$3)) same noise) same (simulat\$3 or emulat\$3 or model\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/07 14:40
-	1	"5481695".PN.	USPAT	2003/04/07 14:25
-	1	"5535133".PN.	USPAT	2003/04/07 14:25
-	1	"5596506".PN.	USPAT	2003/04/07 14:25
-	1	"5828580".PN.	USPAT	2003/04/07 14:25
-	146	((cross\$talk same (switch\$3)) same noise) and (simulat\$3 or emulat\$3 or model\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/07 14:51
-	1	6128769.pn. and switch\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/07 14:52
-	1	6128769.pn. and (cross\$talk or switch\$3 or noise)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/07 15:33
-	1	6128769.pn. and (cross\$talk or cross\$coupl\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/07 15:34
-	1	6128769.pn. and (cross\$talk or cross\$coupl\$3 or signal\$noise)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/07 15:34